

Issuing Date 29-Jul-2016

Revision Date 22-Jun-2020

Revision Number 4

Japan / English

1. PRODUCT AND COMPANY IDENTIFICATIONProduct identifier

Product Name IsoCut Fluid
Product Code(s) 11-1193-032, 11-1193-128
(M)SDS Number 1337873_J

Other means of identification

Synonyms No information available
Registration Number(s) No information available

Recommended use of the chemical and restrictions on use

Recommended Use No information available
Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Buehler
Manufacturer Address Loop-X 6th Floor 3-9-15
kaigan Minato-ku, Tokyo 108-0022
www.buehler.com/Japan
Phone number +81 (0)3 5439 5077
E-mail Address info.japan@buehler.com
Legal Entity ITW Japan KK
Legal Entity Address 1-4-4, Kitasuna, Koto-ku, Tokyo

Emergency telephone number

Global Access Code: 334545
Asia Pacific: +1 760 476 3960
Americas: +1 760 476 3962
Middle East/Africa: +1 760 476 3959
Europe: +1 760 476 3961
Japan: +81 36 8908677

2. HAZARDS IDENTIFICATIONGHS Classification

Flammable liquids	Category 4
Aspiration toxicity	Category 1

Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

Label elements**Signal word****Danger****Hazard statements**

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Avoid release to the environment

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

Collect spillage

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS**Substance**

Not applicable

Mixture

Chemical name	Weight-%	ENCS - Japan Existing and New Chemical Substances	ISHL No.	CAS No.
Petroleum distillates, hydrotreated light	60 - 90%	No information available	No information available	64742-47-8
Olive oil	30 - 40%	No information available	No information available	8001-25-0

Pollutant Release and Transfer Registry (PRTR)

Not applicable.

Industrial Safety and Health Law

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Chemical name	ISHL Notifiable Substances	Threshold Values (%)
Petroleum distillates, hydrotreated light 64742-47-8	ISHL Notifiable Substances	1

Poisonous and Deleterious Substances Control Law Not applicable

4. FIRST AID MEASURES

First aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Aspiration hazard if swallowed - can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.
Note to physicians	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not flammable. Combustible Liquid.
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray.
Special Extinguishing Media	Cool drums with water spray.
Special protective equipment for	Firefighters should wear self-contained breathing apparatus and full firefighting turnout

fire-fighters gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation. Remove all sources of ignition.
Other Information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Handling

Advice on safe handling Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation.

Storage

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines

Chemical name	Japan	ISHL Working Environmental Evaluation Standards - Administrative Control Levels	ACGIH TLV
Petroleum distillates, hydrotreated light 64742-47-8	-	-	TWA: 5 mg/m ³ STEL: 10 mg/m ³ (as oil mist)

Biological occupational exposure limits Not applicable

Engineering controls	Showers Eyewash stations Ventilation systems.
<u>Personal protective equipment</u>	
Eye/face protection	Tight sealing safety goggles.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state	Liquid
Appearance	Yellow
Odor	Characteristic
Color	No information available
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	No data available	
Melting / freezing point	No data available °C	None known
Boiling point / boiling range	No data available	None known
Flash Point	61 °C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.78	
Water Solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	100%
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Stability	Stable under normal conditions.
Explosion Data	
Sensitivity to Mechanical Impact	None
Sensitivity to Static Discharge	Yes
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known based on information supplied.
Hazardous Decomposition Products	None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	Repeated exposure may cause skin dryness or cracking.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.
Symptoms	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.

Numerical measures of toxicity - Product Information

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity
 37.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.

Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Target Organ Effects	Respiratory system.
Aspiration hazard	May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Percentage for unknown hazards 0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Ecotoxicity Toxic to aquatic life with long lasting effects. .

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Petroleum distillates, hydrotreated light	-	96h LC50: = 2.2 mg/L (Lepomis macrochirus) 96h LC50: = 2.4 mg/L (Oncorhynchus mykiss) 96h LC50: = 45 mg/L (Pimephales promelas)	-	96h LC50: = 4720 mg/L

Persistence and Degradability	No information available.
Bioaccumulation	There is no data for this product.
Mobility in soil	No information available.
Mobility	No information available.
Other adverse effects	No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. TRANSPORT INFORMATION

IMDG/IMO

UN-No.	UN3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates, hydrotreated light)
Hazard Class	9
Packing Group	III
EmS-No.	F-A, S-F
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates, hydrotreated light), 9, III

ADR

UN-No.	UN3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates, hydrotreated light)
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates, hydrotreated light), 9, III, (E)
Hazard Class	9
Packing Group	III
Environmental hazard	Yes
Special Provisions	274, 335, 601, 375
Classification code	M6
Tunnel restriction code	(E)

IATA

UN-No.	UN3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates, hydrotreated light)
Hazard Class	9
Packing Group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Petroleum distillates, hydrotreated light), 9, III

Japan

UN Number	UN3082
Proper Shipping Name	Environmentally hazardous substance, liquid, n.o.s.*
Hazard Class	9
Packing group	III
Special Provisions	274, 335

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture**National Regulations****Japan****Pollutant Release and Transfer Registry (PRTR)**

Not applicable

Industrial Safety and Health Law**Harmful Substances Requiring Workers to Subject to Medical Exams**

Medical Examination - Industrial Safety and Health Law article 66, enforcement order article 22, and the Ordinance on Prevention of Hazards Due to Specified Chemical Substances, Table 5

Organic solvents

Organic solvents class 3 - Industrial Safety and Health Law enforcement order Table 6-2 (related to article 6, article 21, article 22, and the Ordinance on Prevention of Organic Solvent Poisoning)

Harmful Substances Whose Names Are to be Indicated on the Label

Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57 and ISHL Ordinance Article 33)

ISHL Notifiable Substances

ISHL Notifiable Substances - information (safety data sheet) to be supplied; Industrial Safety and Health Law enforcement order Table 9 (related to Industrial Safety and Health Law article 57-2 and ISHL Ordinance Article 34-2-4)

Fire Service Law:

Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met

Flammable liquids, group 4, 2nd class petroleums, water-insoluble, hazard rank III, 1000 liters

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (CSCL)

Not applicable

Air Pollution Control Law

Volatile organic compound per Air Pollution Control Law article 2, paragraph 4

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

16. OTHER INFORMATION

Prepared By	Product Stewardship 23 British American Blvd. Latham, NY 12110 1-800-572-6501
Issuing Date	01-Mar-2017
Revision Date	22-Jun-2020
Revision Note	No information available

Key or legend to abbreviations and acronyms used in the safety data sheet**Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	-	Skin designation
C	Carcinogen		

Disclaimer

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

End of Safety Data Sheet